

## Patient Enrollment Form

### Instructions for Parents or Guardians

#### Choose your level of support:

- A Education:** this option gives you access to a Support Liaison and educational resources:
1. Complete **Step 1: Patient/Legal Guardian Information** on page 2 of the **Patient Enrollment Form** by completing all requested information into the fields.
  2. Read and sign the **Authorization to Use and Disclose Personal Health Information** on page 3.
  3. Print the form and mail or fax to:
    - Enzyvant CONNECT, PO Box 220701, Charlotte, NC 28222
    - Fax: 888-936-8859
- B Education and Reimbursement Support:** this option gives you access to a Support Liaison as well as a Patient Access Specialist who will help answer questions about insurance and other assistance programs.
1. Complete **Step 1: Patient/Legal Guardian Information** and **Step 2: Insurance Information of Responsible Party** on page 2 of the **Patient Enrollment Form** by completing all requested information into the fields.
  2. Read and sign the **Authorization to Use and Disclose Personal Health Information** on page 3.
  3. Save the form to a computer or electronic device so you can give it to your healthcare provider. If you do not have access to a computer or electronic device, the form may be printed and filled in with blue or black ink.
  4. Your healthcare provider will complete the rest of the form and send it to a secure fax at Enzyvant CONNECT to complete your enrollment.

### Instructions for Healthcare Providers

1. Complete **Step 3: Prescriber Information** and **Step 4: RETHYMIC<sup>®</sup> Prescription Information** on page 2 of the **Patient Enrollment Form** and sign where indicated.
2. Confirm that the parent or legal guardian has filled in the required information for **Step 1** and **Step 2** on page 2 of the form and signed the **Authorization** on page 3.
3. Program support can begin only after a completed form is submitted. To prevent delays, check that all fields have been filled in before submitting to Enzyvant CONNECT.
4. Fax the completed form to Enzyvant CONNECT at **888-936-8859**.

# Patient Enrollment Form



## Choose your level of support:

**Education:** access to Support Liaison.

**Step 1:** Complete Patient/Legal Guardian Information below and sign Authorization on page 3.  
Mail or fax form to Enzyvant CONNECT, PO Box 220701, Charlotte, NC 28222 or Fax 888-936-8859.

**Education and Reimbursement Support:** access to Support Liaison and Patient Access Specialist.

**Step 1:** Complete Patient/Legal Guardian Information below.

**Step 2:** Complete Insurance Information of Responsible Party below and sign Authorization on page 3.

For assistance, call Enzyvant CONNECT toll-free at 844-ENZCNCT (844-369-2628), Monday through Friday, 8:00 AM to 8:00 PM ET.

For more information on enrollment, visit [EnzyvantConnect.com](http://EnzyvantConnect.com).

## This form is intended for US patients only.

TO BE COMPLETED BY PARENT(S) OR GUARDIAN(S)

### STEP 1: PATIENT/LEGAL GUARDIAN INFORMATION

Patient Name: \_\_\_\_\_ Gender:  Male  Female Date of Birth: \_\_\_\_\_

Parent/Legal Guardian Name: \_\_\_\_\_ Relationship:  Parent  Power of Attorney  Other

Street Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Home Phone #: \_\_\_\_\_ Cell Phone #: \_\_\_\_\_

Email: \_\_\_\_\_

Best time to contact:  AM  PM

Can we leave a message?  Yes  No

### STEP 2: INSURANCE INFORMATION OF RESPONSIBLE PARTY (Required if patient Benefits Verification is requested.)

Primary Insurance: \_\_\_\_\_ Secondary Insurance: \_\_\_\_\_

Policy Holder Name: \_\_\_\_\_ Policy Holder Name: \_\_\_\_\_

Policy ID#: \_\_\_\_\_ Policy ID#: \_\_\_\_\_

Group #: \_\_\_\_\_ Group #: \_\_\_\_\_

Phone #: \_\_\_\_\_ Phone #: \_\_\_\_\_

STEPS 3 & 4 TO BE COMPLETED BY PRESCRIBER IF EDUCATION AND REIMBURSEMENT SUPPORT IS SELECTED

### STEP 3: PRESCRIBER INFORMATION

Prescriber Name: \_\_\_\_\_ Tax ID #: \_\_\_\_\_ NPI #: \_\_\_\_\_

Institution/Facility Name: \_\_\_\_\_

Street Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Prescriber Email: \_\_\_\_\_

Office Contact Name: \_\_\_\_\_

Office Contact Phone #: \_\_\_\_\_ Fax #: \_\_\_\_\_

Office Contact Email: \_\_\_\_\_

### STEP 4: RETHYMIC® (allogeneic processed thymus tissue-agdc) PRESCRIPTION INFORMATION

Primary Diagnosis ICD-10 Code: D82.1 Di George's Syndrome Other (include ICD-10 code): \_\_\_\_\_

Patient Allergies: \_\_\_\_\_  No known allergies

Body Surface Area (BSA): \_\_\_\_\_ Date BSA Taken: \_\_\_\_\_

The recommended dose range is 5,000 to 22,000 mm<sup>2</sup> of RETHYMIC surface area/m<sup>2</sup> recipient BSA

Quantity: 1 – No Refills

RETHYMIC is surgically implanted in Durham, N.C.

Is travel support needed for patient?  Yes  No

I certify that I have made an independent judgment that RETHYMIC is necessary for the treatment of congenital athymia for the patient listed above. The information provided is accurate to the best of my knowledge. I will comply with state-specific prescription requirements. I authorize Enzyvant CONNECT to transmit this prescription to the appropriate facility.

Prescriber Signature \_\_\_\_\_

Dispense as Written (No Stamp Permitted)

Date: \_\_\_\_\_

## **Authorization to Use and Disclose Personal Health Information** **To be completed by parent/caregiver/legal guardian**

In signing this form, I authorize the patient's healthcare providers, and any vendors to provide Enzyvant Therapeutics, GmbH, its affiliates, parent company, business partners, service providers, third-party contractors, and agents (collectively "Enzyvant") with any and all name, address, patient's condition and diagnoses, health insurance information, and demographic information (Personal Health Information or PHI) that Enzyvant requests for the purposes of providing patient support services to the patient and family members. Enzyvant may also contact me or the patient's healthcare providers directly for any missing or additional information.

### **I authorize Enzyvant to use PHI for the following purposes:**

- To share information with the patient's healthcare provider
- To share information with the site of administration
- To provide me with educational material
- To provide logistical support such as facilitating travel and lodging (where applicable)
- To provide me with marketing information
- To contact me via telephone or mail, in electronic format or otherwise, to provide or offer information that it believes to be of interest to me
- To help Enzyvant develop programs and services that may be of interest to me
- For Enzyvant's internal business purposes and analytics, including to analyze its patient population and evaluate and improve the patient support program

### **If I have also chosen to receive Reimbursement Services, I also authorize Enzyvant to use PHI for the following purposes and agree to the following:**

- To conduct a benefits investigation to determine coverage for treatment
- To help me find other ways to afford treatment
- To share information with the patient's healthcare provider
- To share information about me and the patient with the site of administration
- I understand that Enzyvant CONNECT, and its authorized third-party agents may use my and the patient's information including PHI to determine if we qualify to participate in the Enzyvant CONNECT Copay Assistance Program.

### **Additional Terms of Consent Applicable to Both Educational and Reimbursement Services**

**I understand that this Authorization is voluntary. If I decline to sign, I understand that Enzyvant may be limited in the services that it would otherwise provide under its Enzyvant CONNECT program, but my failure to sign this form will not otherwise affect the patient's current and ongoing medical care, the patient's ability to participate in Enzyvant-sponsored programs in the future, or the patient's eligibility for healthcare benefits. Enzyvant CONNECT and its authorized third-party agents reserve the right to ask for additional documents and information at any time.**

**I understand that my signed permission to share and use my and the patient's PHI lasts for one (1) year from the date of my signature.**

**I understand that I may revoke this Authorization at any time in writing by sending a letter to Enzyvant at the following address: Enzyvant CONNECT, 55 Cambridge Parkway, Suite 102W, Cambridge, MA 02142. Revoking this Authorization will prevent Enzyvant from further using or disclosing my or the patient's information but will not affect use or disclosure of information that has already been made in reliance on this Authorization. I understand that I have the right to receive a copy of this form.**

**I understand that once the information has been disclosed, federal and state privacy laws may no longer apply or protect the information from further disclosure. Unless I expressly revoke this Authorization, it shall remain in effect for five (5) years from the date that I sign below. If I need to request a copy of the Authorization for my records in writing, I will refer to the aforementioned address.**

**I agree to be contacted by Enzyvant via mail, email, and telephone calls and at the address(es) I have provided on this form for all marketing and non-marketing purposes described in this Authorization. I confirm I am the subscriber for the telephone number(s) provided and authorized user for the email address(es) provided. I understand that my wireless service provider's message and data rates may apply.**

### **Consent Information**

I have read and understand the Authorization to Use and Disclose Personal Health Information and hereby provide consent.

Name (Print) \_\_\_\_\_

Signature \_\_\_\_\_

Relationship to Patient \_\_\_\_\_ Date \_\_\_\_\_

**Please note: If parent/caregiver/legal guardian is unable to sign the form, verbal attestation can be provided by calling Enzyvant CONNECT toll-free at 844-ENZCNCT (844-369-2628), Monday through Friday, 8:00 AM to 8:00 PM ET.**

## Indication and Important Safety Information

### Indication

RETHYMIC® (allogeneic processed thymus tissue–agdc) is indicated for immune reconstitution in pediatric patients with congenital athymia.

RETHYMIC is not for use in patients who have been diagnosed with severe combined immunodeficiency (SCID).

### Important Safety Information

**Infection Control:** Immune reconstitution sufficient to protect from infection is unlikely to develop prior to 6-12 months after treatment with RETHYMIC. Immune reconstitution is needed for the body to produce cells in the immune system to fight infection. Your child's doctor should advise you of infection control measures which should be followed immediately after treatment and until the immune system starts working at a sufficient level. Monitor your child closely for signs of infection, including fever. Your child should be maintained on immunoglobulin replacement and prophylactic antimicrobials until certain criteria are met as determined by your doctor.

**Graft versus Host Disease (GVHD):** RETHYMIC may cause or make pre-existing GVHD worse. Your child will be monitored for GVHD and treated if needed. Symptoms of GVHD may include fever, rash, enlarged lymph nodes, inflammation of the gastrointestinal system and/or diarrhea.

**Autoimmune Disorders:** Autoimmune-related adverse events occurred in patients treated with RETHYMIC. These events included: low platelets, low white blood cells, protein in urine, low red blood cells, hair loss, poor thyroid function, inflammation of liver, inflammation of the joints, inflammation of the spinal cord, loss of pigment in the skin, eyes and hair, overactive thyroid function, and loss of function of the ovaries. Your doctor will monitor your child regularly including performing blood tests.

**Kidney Disease:** Treatment with RETHYMIC is a risk factor for death in patients with pre-existing kidney disease.

**Cytomegalovirus (CMV) Infection:** In clinical studies with RETHYMIC, 3 out of 4 patients with pre-existing CMV infection prior to the implantation with RETHYMIC died. Talk to your doctor about the benefits/risks of treatment if your child has pre-existing CMV infection.

**Cancer:** Due to your child's weakened immune system, there is increased risk of developing certain cancers. Your child's doctor will monitor your child through testing for Epstein-Barr virus (EBV) and cytomegalovirus (CMV), which are two viruses that can cause cancer.

**Transmission of Serious Infections:** Because RETHYMIC is made from human tissue, and animal products are used in the manufacturing process, transmission of infectious diseases may occur.

**Vaccinations:** Your child should not receive any vaccinations until he or she has met certain requirements set by your doctor. Talk to your child's doctor prior to any vaccinations.

**Anti-HLA Antibodies:** Prior to receiving RETHYMIC your child will be tested for HLA antibodies, which are proteins that may be present in your child's blood. If your child has these antibodies, he/she will need to receive RETHYMIC from a donor that does not express those HLA proteins.

## Indication and Important Safety Information (cont.)

**HLA Typing:** If your child has received a hematopoietic cell transplantation (HCT) or a solid organ transplant, they will have a test to look for specific antibodies that could interfere with the effect of RETHYMIC. If they are present, then it will be necessary to receive RETHYMIC from a certain group of donors that do not have these proteins.

**Deaths:** 105 children participated in the clinical studies of RETHYMIC. 29 of the patients died, including 23 in the first year after implantation of RETHYMIC.

### **What are the most common side effects with RETHYMIC?**

The most common side effects with RETHYMIC are hypertension (high blood pressure), cytokine release syndrome, rash, hypomagnesemia (low magnesium), renal impairment / failure (decrease of kidney function), thrombocytopenia (low platelets), and graft versus host disease.

These are not all of the possible side effects of RETHYMIC. Talk to your child's doctor about any side effect that bothers your child or does not go away.

You are encouraged to report side effects to the FDA at 1-800-FDA-1088 or [www.fda.gov/safety/medwatch](http://www.fda.gov/safety/medwatch).

**Please see full Product Information at RETHYMIC.com.**

### **Enzyvant CONNECT**

PO Box 220701, Charlotte, NC 28222

Fax: 888-936-8859 • Phone: 844-ENZCNCT (844-369-2628)